### STORMBELL 80

# Worktitude for light

## ST18STLOSP940DOPW



### STORMBELL 80 DECO SUT 1500 NW SP D OP/WH

### Description:

Downlight to suspend on TRACK 220V rail model STORMBELL 80 DECO SUT 1500 NW SP DA OP/WH LAMP brand. Body made of injected aluminum with white/black/Materiality finish, and with black/opal polycarbonate ring, for decorative lighting effect and possibility of accessory color filter, depending on his model. COB LED 4000K color temperature and CRI90. Aluminium reflector SPOT, UGR<19. Luminaire with ceiling rose and electronic DALI equipment included. Insulation class II. LED life time: 50000 L90 B10. Compatible with 4 different models of hoods (accessories) that complete the luminaire.



Finish: Texturised white RAL 9010

Weight: 800 g

Installation: Suspended

### **TECHNICAL SPECIFICATIONS:**

Light output: 1.429 lm °K: 4000 Plum: 14,7W CRI: 90 Efficacy: 97,2 Im/w R9: 64 UGR: <19 MacAdam: 3

 Type:
 COB
 Power Supply:
 220-240V 50/60Hz

 LED Lifetime:
 50.000 L90 B10 (Ta=25°C)
 Gear:
 Adjustable DALI

**Power:** 12.2W

## Light output tolerance +/- 10%

















## **CUSTOM MADE OPTIONS:**









Data according to regulations 2019/2020/EU and 2019/2015/EU















# **STORMBELL 80**




ST18STLOSP940DOPW


## STORMBELL 80 DECO SUT 1500 NW SP D OP/WH


## **PHOTOMETRIC DATA:**


ST18STLOSP940NOPW  $\eta$  = 100% Imax = 4815 cd/klm UTE:


CIE: 100 100 100 100 100




















### STORMBELL 80



**ACCESORIES:** 

Optical



Product code:

HSHO50



Product code:

S8BE161B



ACC. BELL STORMBELL 80 Ø161x150 BK



Product code:

S8BE161B1



Product code:

S8BE161W

Description:

ACC. BELL STORMBELL 80 Ø161x150 WH



Product code:

S8BE227B



Product code: S8BE227B1

**e**:

Description:

ACC. BELL STORMBELL 80 Ø227x89 MA



Product code:

S8BE227W

# Description:

Description:

Description:

Description:

HANCE 1000/2000 ACC. HONEYCOMB GRILLE

ACC. BELL STORMBELL 80 Ø161x150 MA

ACC. BELL STORMBELL 80 Ø227x89 WH

ACC. BELL STORMBELL 80 Ø227x89 BK



Product code:

S8BE363B

Description:

ACC. BELL STORMBELL 80 Ø363x60 BK



Product code:

S8BE363B1

Description:

ACC. BELL STORMBELL 80 Ø363x60 MA



Product code:

S8BE363CK

Description:

ACC. BELL STORMBELL 80 Ø363x60 CK

Data according to regulations 2019/2020/EU and 2019/2015/EU

## **Product datasheet**

# STORMBELL 80





Product code:

S8BE363PT

Description:

ACC. BELL STORMBELL 80 Ø363x60 PT



Product code:

S8BE363W

Description:

ACC. BELL STORMBELL 80 Ø363x60 WH



Product code:

S8BE86B

Description:

ACC. BELL STORMBELL 80 Ø86x50 BK



Product code:

S8BE86B1

Description:

ACC. BELL STORMBELL 80 Ø86x50 MA



Product code:

Description:

S8BE86W

ACC. BELL STORMBELL 80 Ø86x50 WH