


STORMBELL 80

ST18STLOWF930NOP1



STORMBELL 80 DECO SUT 1500 WW WFL OP/MA

Description:

Finish: Palette MATERIALITE - 1 TEXTURED

Weight: 800 g

Installation: Suspended

TECHNICAL SPECIFICATIONS:

Light output:	1.369 lm	°K :	3000
Plum:	14,7W	CRI :	90
Efficacy:	93,1 lm/w	R9 :	60
Type:	COB	MacAdam:	3
LED Lifetime:	50.000 L90 B10 (Ta=25°C)	Power Supply:	220-240V 50/60Hz
Power:	12.2W	Gear:	Electronic

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:










STORBELL 80

ST18STLOWF930NOP1

STORBELL 80 DECO SUT 1500 WW WFL OP/MA

PHOTOMETRIC DATA :

ST18STLOWF930NOP1
 $\eta = 100\%$
 $I_{max} = 1205 \text{ cd/klm}$
 UTE: 1,00A
 CIE: 96 100 100 100 100



ACCESORIES :

Optical



Product code:

HSHO50

Description:

HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

S8BE227B

Description:

ACC. BELL STORMBELL 80 Ø227x89 BK



Product code:

S8BE227B1

Description:

ACC. BELL STORMBELL 80 Ø227x89 MA



Product code:

S8BE227W

Description:

ACC. BELL STORMBELL 80 Ø227x89 WH



Product code:

S8BE363B

Description:

ACC. BELL STORMBELL 80 Ø363x60 BK



Product code:

S8BE363B1

Description:

ACC. BELL STORMBELL 80 Ø363x60 MA



Product code:

S8BE363CK

Description:

ACC. BELL STORMBELL 80 Ø363x60 CK



Product code:

S8BE363PT

Description:

ACC. BELL STORMBELL 80 Ø363x60 PT



Product code:

S8BE363W

Description:

ACC. BELL STORMBELL 80 Ø363x60 WH



Product code:

S8BE86B

Description:

ACC. BELL STORMBELL 80 Ø86x50 BK

STORMBELL 80



Product code:

S8BE86B1

Description:

ACC. BELL STORMBELL 80 Ø86x50 MA



Product code:

S8BE86W

Description:

ACC. BELL STORMBELL 80 Ø86x50 WH