Product datasheet

TRACE 20


TC110H0140SY830NB



TRACE 100 HOR 70 WW BK.

Description:

Wall-recessed luminaire model TRACE 100 HOR 70 LAMP brand. Body made of bended iron metalsheet and matt black serigraphed tempered glass. Model for MID-POWER LED with 3000K, CRI 80 colour temperature and control gear included. Texturised white lacquered aluminium symmetric reflector. IP40 protection rating. Insulation class I. Lifetime: 100.000 L90 B10



Finish: Matte black RAL 9011

Weight: 316 g

Installation: Wall recessed

TECHNICAL SPECIFICATIONS:

Light output: 68 lm °K: 3000 Plum: 2,7W CRI: 80 Efficacy: 25 lm/w 3 MacAdam:

Type: MID POWER OSRAM Power Supply: 220-240V 50/60Hz

Gear:

Electronic

LED Lifetime: 100.000 L90 B10

1.5W Power:

Light output tolerance +/- 10%

















CUSTOM MADE OPTIONS:













TRACE 20





TC110H0140SY830NB

TRACE 100 HOR 70 WW BK.

PHOTOMETRIC DATA:

5641602 η = 100% Imax = 337 cd/klm UTE: 0,50T





alpha = 600,0°	H (m)	D (m)	Emax	Emed
	1	0,00	-1	NAN
	2	0,00	0	NAN
	3	0,00	0	NAN
	4	0,00	0	NAN

Product datasheet

TRACE 20



ACCESORIES:

Assembly



Product code: Description:

TCREBO40100 TRACE ACC. 100 REC BOX