Product datasheet

TRACE 20

TC120H0240AS830NB



TRACE 200 HOR 70 WW BK.

Description:

Wall-recessed luminaire model TRACE 200 HOR 70 LAMP brand. Body made of bended iron metalsheet and matt black serigraphed tempered glass. Model for MID-POWER LED with 3000K, CRI 80 colour temperature and control gear included. Texturised white lacquered aluminium asymmetric reflector. IP40 protection rating. Insulation class I. Lifetime: 100.000 L90 B10



Finish: Matte black RAL 9011

Weight: 510 g

Installation: Wall recessed

TECHNICAL SPECIFICATIONS:

Light output: 92 lm °K: 3000 Plum: 2,7W CRI: 80 Efficacy: 34 lm/w 3 MacAdam:

Type: MID POWER OSRAM Power Supply: 220-240V 50/60Hz

LED Lifetime: 100.000 L90 B10 Gear: Electronic

1.5W Power:

Light output tolerance +/- 10%

















CUSTOM MADE OPTIONS:














TRACE 20




TC120H0240AS830NB

TRACE 200 HOR 70 WW BK.

PHOTOMETRIC DATA:





alpha = 600,0°	H (m)	D (m)	Emax	Emed
	1	0,00	-1	NAN
	2	0,00	0	NAN
	3	0,00	0	NAN
	4	0,00	0	NAN

Product datasheet

TRACE 20



ACCESORIES : Assembly



Product code: Description:

TCREBO40200 TRACE ACC. 200 REC BOX