Product datasheet

TRAIN




TR1SSF310830NW



TRAIN TRP SRT 900 WW WH.

Description:

Straight triple surface mounting downlight model TRAIN TRP SRT 900 WW WH., LAMP brand.Made of texturised white lacquered extruded aluminium. Model for LED MID-POWER, with warm white colour temperature and control gear included. It has a patented optical u nit made of metallized matte ABS for high visual comfort (UGR<19). Insulation class I.



Finish: Texturised white

Weight: 1.500 g

Installation: Surface

TECHNICAL SPECIFICATIONS:

Light output: 924 lm °K: 3000 Plum: 25,2W CRI: 80 Efficacy: 36,7 mW 3 MacAdam:

Type: COB CITIZEN Power Supply: 100-240V 50/60Hz

Gear:

Electronic

LED Lifetime: 75.000 L80 B10

18W Power:

Light output tolerance +/- 10%





















Data according to regulations 2019/2020/EU and 2019/2015/EU


TRAIN





TRAIN TRP SRT 900 WW WH.



PHOTOMETRIC DATA:







| H (m) | D (m) | Emax | Emed |
|-------|-------|------|------|
| 1 | 1,72 | 471 | 257 |
| 2 | 3,44 | 118 | 64 |
| 3 | 5,16 | 52 | 29 |
| 4 | 6,88 | 29 | 16 |

TRAIN





