Product datasheet

XTREMA



XT2400167WF8400I



XTREMA 40 100 IP67 NW WFL IN.

Description:

Outdoor recessed luminaire model XTREMA 40 100, LAMP brand. Made of AISI 316 stainless steel and transparent glass diffuser. Model for HI-POWER LED, with 4000K colour temperature and CRI 80. IP67, IK07 protection rating. Insulation class III. Electronic equipment not incorporated (24V). Lifetime: 50.000 L90



Finish: Stainless steel AISI 316

Weight: 176 g

Installation: Floor recessed

TECHNICAL SPECIFICATIONS:

Light output: 85 lm °K: 4000

> CRI: 80

Type: HIGH POWER LED 3 MacAdam:

LED Lifetime: 50.000 L90 (Ta=25°C) Power Supply: 24VDC

Power: Gear: Without gear (requires external gear)

Light output tolerance +/- 10%





















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU







XTREMA




XTREMA 40 100 IP67 NW WFL IN.





PHOTOMETRIC DATA:


XT2400167WF8400I $\eta = 100\%$ Imax = 1331 cd/klm UTE: 1,00A

CIE: 87 98 100 100 100









Product datasheet

XTREMA



ACCESORIES:

Assembly



Product code: Description:

CT4P67N ACC. IP67 4P CONNECTOR



Product code:

X4BO36B

Description:

XTREMA 40 ACC.REC BOX

ACCESORIES:

Adjustment and control



Product code:

Description:

DRV6710024N DRV 100W 24V 100-305V NR IP67